



EXHIBIT U


TO RULE 4.2 STATEMENT OF DR. DOUGHERTY

Geometry > Solid Geometry > Polyhedra > Miscellaneous Polyhedra >
 Interactive Entries > LiveGraphics3D Applets >
 MathWorld Contributors > Pegg >

Hexahedron



A hexahedron is a polyhedron with six faces. There are seven convex hexahedra, corresponding through graph duality with the seven hexahedral graphs. The illustration above shows the seven hexahedra (top line), their skeletons (middle line), and the hexahedral graphs whose duals correspond to the polyhedra and their skeletons (bottom line). The unique regular hexahedron is the cube, and there are two hexahedra that can be built from regular polygons with equal edge lengths: the regular triangular dipyramid the pentagonal pyramid.



Through graph duality, the list of numbers of vertices in a hexahedron corresponds to the degree sequence (sequence of vertex degrees) of a hexahedral graph. The following table lists the hexahedra, together with their degree sequences, number of vertices V , and number of edges E , which are related through the polyhedral formula.

Algebra
 Applied Mathematics
 Calculus and Analysis
 Discrete Mathematics
 Foundations of Mathematics
 Geometry
 History and Terminology
 Number Theory
 Probability and Statistics
 Recreational Mathematics
 Topology

Alphabetical Index
 Interactive Entries
 Random Entry
 New in *MathWorld*

MathWorld Classroom

About *MathWorld*
 Contribute to *MathWorld*
 Send a Message to the Team

MathWorld Book

12,791 entries
 Last updated: Thu Feb 14 2008

*Created, developed, and
 nurtured by Eric Weisstein
 at Wolfram Research*

hexahedron	degree sequence	V	E
triangular dipyramid	(3, 3, 3, 3, 3)	5	9
pentagonal pyramid	(3, 3, 3, 3, 5)	6	10
(3,3,3,3,4,4)	(3, 3, 3, 3, 4, 4)	6	10
(3,3,3,4,4,5)	(3, 3, 3, 4, 4, 5)	7	11
(3,3,4,4,4,4)	(3, 3, 4, 4, 4, 4)	7	11
(3,3,4,4,5,5)	(3, 3, 4, 4, 5, 5)	8	12
cube	(4, 4, 4, 4, 4)	8	12

SEE ALSO: Cube, Hexagonal Pyramid, Hexahedral Graph, Polyhedron, Triangular Dipyramid. [Pages Linking Here]

REFERENCES:

Duijvestijn, A. J. W. and Federico, P. J. "The Number of Polyhedral (3-Connected Planar) Graphs." *Math. Comput.* **37**, 523-532, 1981.

Gardner, M. "Find the Hexahedrons." §19.9 in *Martin Gardner's New Mathematical Diversions from Scientific American*. New York: Simon and Schuster, pp. 224-225 and 233, 1966.

Guy, R. K. *Unsolved Problems in Number Theory*. 2nd ed. New York: Springer-Verlag, 1994.

McClellan, J. "The Hexahedra Problem." *Recr. Math. Mag.*, No. 4, 34-40, Aug. 1961.

Steiner, J. "Problème de situation." *Ann. de Math.* **19**, 36, 1828. Reprinted in *Jacob Steiner's gesammelte Werke. Band I*. Bronx, NY: Chelsea, p. 227, 1971.

CITE THIS AS:

Weisstein, Eric W. "Hexahedron." From *MathWorld*--A Wolfram Web Resource. <http://mathworld.wolfram.com/Hexahedron.html>